

# TRUCKMATE

## The Next Generation Portable Axle Scale

### “Reduce the Risk of Overloading Penalties”

‘TRUCKMATE’ is the lowest profile weigh pad we have ever offered. Large weighing surface, and extremely low profile-(from 18mm high). The excellent accuracy is due to the twenty independent loadcells under the top plate.



Rated Capacity:	10t, 20t or 40t-(500kg min weight req.)
Type:	Ultra Slimline Weighpad
Static Accuracy:	Approx. 0.5% - 1% or better
Dynamic Mode:	Approx. 3 - 5% or better up to 5km/h
Rated overload:	120%
Temperature	-20°C ~ +60°C
Composition:	Lightweight, high strength
Pad Size:	From 765mm x 470mm (Actual weighing area from 715mm x 420mm)
Pad Weight:	From 18kg
Approx. Height:	From 18mm


#### FEATURES

- Extremely Slimline
- User friendly
- Portable
- Fast set up - approx.10 mins
- Splashproof
- Accurate, Robust, Reliable
- Built in battery with external charger
- Pads can be recessed into ground
- or used with our frames
- PC compatible / memory download


# TRUCKMATE




Digital readout - built-in printer



Truckmate in holding frame



Truckmate 2 (with built-in LCD display)



Printout sample

Digital readout controller/printer includes - operator ID, truck/reg no, axle weight, total weight, time/date & other features.

Case Dimensions: 430 x 310 x 150mm (H)

Carrying Weight: Approx. 6.5kg

Temperature -20°C ~ +60°C

Powered by 12v DC charger. Battery life approx. 1 week with overnight recharge via 240v adaptor/charger

Controller/printer includes robust handy carry case with 3 spare paper rolls & 1 ink cartridge.



Wireless Truckmate connecting up to 6 pads  
Range up to 25m



Note: Levelling mats may be required for some vehicle configurations.

# TRUCKMATE - W

## The Next Generation WIRELESS Portable Axle Scale

“Reduce the Risk of Overloading Penalties”

“TRUCKMATE” The lowest profile weigh pad we have ever offered is now available in HANDHELD WIRELESS version.




Rated Capacity:	10t, 20t or 40t-(500kg min weight req.)
Type:	Ultra Slimline Weighpad
Static Accuracy:	Approx. 0.5% - 1% or better
Dynamic Mode:	Approx. 3 - 5% or better up to 5km/h
Rated overload:	120%
Temperature	-20°C ~ +60°C
Composition:	Lightweight, high strength
Pad Size:	From 765mm x 470mm (Actual weighing area from 715mm x 420mm)
Pad Weight:	From 18kg
Approx. Height:	From 18mm

### FEATURES

- Improved the anti-interference feature
- Calibration up to 5 points for improved accuracy and linearity
- RS232 output to PC
- Connect up to 8 pads to 1 handheld indicator
- Built in battery with external charger
- Battery life indicator
- Signal strength indicator
- User friendly
- Extremely Slimline & portable
- Fast set up - approx. 10 mins
- Splashproof
- Accurate, Robust, Reliable



8 wireless pads connected to 1 handheld indicator



Handheld indicator